



PROTEK

17th Edition Consumer Units Plastic

SUPRA IP40




Supra S17/14-63

Specification

White Polystyrol Body
 ClickLock Lid System
 Cutaway sides for ease of access
 Secure DIN Rail & Busbar on keyhole fixing for rapid wiring
 Designed in the UK to BS5486 Part 13: 1989
 Assembled in the UK to BSEN 60439-3
 Degree of protection IP40 to BSEN 60529
 Flexible*/High Integrity
 Accepts Protek's 6KA & 10KA MCBs
 Protek's 6A to 63A RCBOs & Protek's 6A to 40 SpaceSaver RCBO

Product Code	Description	No. of Rows	Split	Isolator Amps	RCD Amps
S17/8-63	8 Way 17th Edition Flexible Split Load 100A Sw 2 No. 63A RCDs	1	Flexible*	100	63/63
S17/14-63	14 Way 17th Edition Flexible Split Load 100A Sw 2 No. 63A RCDs	1	Flexible*	100	63/63
S17/14-63/80	14 Way 17th Edition Flexible Split Load 100A Sw 1 No. 63A & 1 No. 80A RCD	1	Flexible*	100	63/63

Dimensions



Code		Height	Width	Depth
S409	9 Mod	210	245	110
S414	14 Mod	210	310	110
S420	20 Mod	210	440	110



17th Edition Consumer Units Plastic

PHOENIX IP65




Phoenix P17/12-63


Specification

Robust IP65
 Gasketless seal for lifelong protection
 Polycarbonate
 Grey body with smoked tinted screen
 Secure DIN Rail and busbar mountings for rapid installation
 Available in TEN variants either single, double or triple bank
 Designed in the UK to BS5486 Part 13: 1989
 Assembled in the UK to BSEN 60439-3
 Degree of protection IP65 to BSEN 60529
 Accepts Protek's 6KA & 10KA MCBs
 Protek's 6A to 63A RCBOs & Protek's 6A to 40 SpaceSaver RCBO


Dimensions



Single Bank



Double Bank*



Three Bank**

Product Code	No of MCB Ways	Height	Width	Depth
P17/6-63	6	194	120	105
P17/12-63	12	194	120	105
P17/18-63	18*	384	274	138
P17/18-63/80	18*	384	274	138
P17/30-63	30*	409	372	138
P17/30-63/80	30*	409	372	138
P17/30-80	30*	409	372	138
P17/48-63	48**	559	372	138
P17/48-63/80	48**	559	372	138
P17/48-80	48**	559	372	138



PROTEK

17th Edition Consumer Units Plastic

Product Code	Description	No. of Rows	Split	Isolator Amps	RCD Amps
P17/6-63	6 Way 17th Edition Flexible Split Load 100A Sw 2 No. 63A RCDs IP65	1	Flexible	100	63/63
P17/12-63	12 Way 17th Edition Flexible Split Load 100A Sw 2 No. 63A RCDs IP65	1	Flexible	100	63/63
P17/18-63	18 Way 17th Edition Top Flexible 63A RCD Lower 10 way 63A RCDs IP65 (Double Bank)	2	Upper Flexible Lower 10 way	100	63/63
P17/18-63/80	18 Way 17th Edition Top Flexible 63A RCD Lower 10 way 80A RCDs IP65 (Double Bank)	2	Upper Flexible Lower 10 way	100	63/80
P17/30-63	30 Way 17th Edition Top Flexible 63A RCD Lower 10 way 63A RCDs IP65 (Double Bank)	2	Upper Flexible Lower 10 way	100	63/63
P17/30-63/80	30 Way 17th Edition Top Flexible 63A RCD Lower 10 way 80A RCDs IP65 (Double Bank)	2	Upper Flexible Lower 10 way	100	63/80
P17/30-80	30 Way 17th Edition Top Flexible 80A RCD Lower 10 way 80A RCDs IP65 (Double Bank)	2	Upper Flexible Lower 10 way	100	80/80
P17/48-63	48 Way 17th Edition Split Load 16/16/16 100A Sw 2 No. 63A RCDs IP65 (Triple Bank)	3	16/16/16	100	63/63
P17/48-63/80	48 Way 17th Edition Split Load 16/16/16 100A Sw 1 No. 63 & 1 No. 80A RCDs IP65 (Triple Bank)	3	16/16/16	100	63/80
P17/48-80	48 Way 17th Edition Split Load 16/16/16 100A Sw 2 No. 80A RCDs IP65 (Triple Bank)	3	16/16/16	100	80/80

All Protek products adhere to strict British and European Safety Standards. Protek insist on using only the very best of the world's most respected testing institutions and is certified by the likes of SEMKO, BSTE, CE and FIMKO.

All 17th edition consumer units come complete with the following:- Installation guide, IEE Regulation Labels, Installation Test Labels, Way Labels and Caution on wiring colour changes.

phone **01543 46 75 75**

fax **01543 46 23 70**

email **sales@protekuk.co.uk**



PROTEK